



## Safety Data Sheet

Copyright, 2021, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 06-8243-5  | <b>Version number:</b>  | 14.00      |
| <b>Issue Date:</b>     | 22/06/2021 | <b>Supersedes date:</b> | 15/06/2021 |

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

### SECTION 1: Identification

#### 1.1. Product identifier

3M Primer 94

#### Product Identification Numbers

70-0160-5476-2      70-0160-5477-0      70-0160-5478-8      AT-0105-5821-4      AT-0105-5827-1  
AT-0105-9467-2

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Adhesion promoter., Primer

For Industrial or Professional use only.

#### 1.3. Supplier's details

**Address:** 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113  
**Telephone:** 136 136  
**E Mail:** productinfo.au@mmm.com  
**Website:** www.3m.com.au

#### 1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

### SECTION 2: Hazard identification

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Flammable Liquid: Category 2.  
Serious Eye Damage/Irritation: Category 2.  
Skin Sensitizer: Category 1A.  
Carcinogenicity: Category 2.  
Reproductive Toxicity: Category 1.

Specific Target Organ Toxicity (single exposure): Category 1.  
 Specific Target Organ Toxicity (repeated exposure): Category 1.  
 Aspiration Hazard: Category 1.

## 2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

### Signal word

Danger

### Symbols

Flame | Exclamation mark | Health Hazard |

### Pictograms



### Hazard statements

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.  |
| H319 | Causes serious eye irritation.   |
| H317 | May cause an allergic skin reaction.   |
| H351 | Suspected of causing cancer.   |
| H360 | May damage fertility or the unborn child.  |
| H304 | May be fatal if swallowed and enters airways.                                      |
| H370 | Causes damage to organs: sensory organs.   |
| H372 | Causes damage to organs through prolonged or repeated exposure: nervous system.    |
| H373 | May cause damage to organs through prolonged or repeated exposure: sensory organs. |

### Precautionary statements

#### Prevention:

|       |   |
|-------|---|
| P201  | Obtain special instructions before use.   |
| P202  | Do not handle until all safety precautions have been read and understood.                         |
| P210  | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.<br>No smoking. |
| P233  | Keep container tightly closed.  |
| P240  | Ground and bond container and receiving equipment.  |
| P241  | Use explosion-proof electrical, ventilating and lighting equipment.                               |
| P242  | Use non-sparking tools.   |
| P243  | Take action to prevent static discharges.   |
| P260  | Do not breathe dust/fume/gas/mist/vapours/spray.  |
| P264  | Wash thoroughly after handling.   |
| P270  | Do not eat, drink or smoke when using this product.   |
| P272  | Contaminated work clothing should not be allowed out of the workplace.                            |
| P280K | Wear protective gloves and respiratory protection.  |

**Response:**

P301 + P310

P303 + P361 + P353

P305 + P351 + P338

P308 + P313

P314

P331

P333 + P313

P337 + P313

P362 + P364

P370 + P378

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Do NOT induce vomiting.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

**Storage:**

P403 + P235

P405

Store in a well-ventilated place. Keep cool.

Store locked up.

**Disposal:**

P501

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Other assigned/identified product hazards**

None known.

**2.4. Other hazards which do not result in classification**

May be harmful in contact with skin.

Causes mild skin irritation.

May be harmful if inhaled.

May cause drowsiness or dizziness.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

**SECTION 3: Composition/information on ingredients**

This material is a mixture.

| Ingredient             | CAS Nbr      | % by Weight |
|------------------------|--------------|-------------|
| Cyclohexane            | 110-82-7     | 30 - 60     |
| Xylene                 | 1330-20-7    | 15 - 35     |
| Ethylbenzene           | 100-41-4     | < 15        |
| o-Xylene               | 108-38-3     | < 15        |
| Ethanol                | 64-17-5      | 5 - 10      |
| p-Xylene               | 106-42-3     | < 10        |
| Ethyl Acetate          | 141-78-6     | 1 - 5       |
| o-Xylene               | 95-47-6      | < 5         |
| Acrylate Polymer       | Trade Secret | 1 - 5       |
| Chlorinated Polyolefin | 68609-36-9   | < 2         |
| Toluene                | 108-88-3     | < 2         |
| Acetone                | 67-64-1      | < 1         |
| Isopropyl Alcohol      | 67-63-0      | < 1         |
| Epoxy Resin            | 25068-38-6   | < 0.5       |
| Methanol               | 67-56-1      | < 0.5       |

|                      |          |        |
|----------------------|----------|--------|
| 4-Methylpentan-2-one | 108-10-1 | < 0.5  |
| Cumene               | 98-82-8  | < 0.2  |
| Chlorobenzene        | 108-90-7 | < 0.11 |
| Maleic anhydride     | 108-31-6 | < 0.1  |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If swallowed

Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching). Aspiration pneumonitis (coughing, gasping, choking, burning of the mouth, and difficulty breathing). Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects. See Section 11 for additional details. Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

#### Substance

Aldehydes.  
Formaldehyde  
Carbon monoxide.  
Carbon dioxide.  
Hydrogen Chloride

#### Condition

During combustion.  
During combustion.  
During combustion.  
During combustion.  
During combustion.

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**Hazchem Code:** •3YE

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. **WARNING !** A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (eg. gloves, respirators...) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapour accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from sunlight. Store away from heat. Store away from acids. Store away from oxidising agents.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient   | CAS Nbr  | Agency         | Limit type  | Additional comments              |
|--------------|----------|----------------|---|----------------------------------|
| Ethylbenzene | 100-41-4 | ACGIH          | TWA:20 ppm  | A3: Confirmed animal carcinogen. |
| Ethylbenzene | 100-41-4 | Australia OELs | TWA(8 hours):434 mg/m <sup>3</sup> (100 ppm);STEL(15 minutes):543 mg/m <sup>3</sup> (125 ppm) |                                  |

|                      |           |                |  |  |
|----------------------|-----------|----------------|--|--|
| p-Xylene             | 106-42-3  | ACGIH          | TWA:100 ppm;STEL:150 ppm   | A4: Not class. as human carcin                                   |
| p-Xylene             | 106-42-3  | Australia OELs | TWA(8 hours):350 mg/m3(80 ppm);STEL(15 minutes):655 mg/m3(150 ppm)     |  |
| 4-Methylpentan-2-one | 108-10-1  | ACGIH          | TWA:20 ppm;STEL:75 ppm   | A3: Confirmed animal carcinogen.                                 |
| 4-Methylpentan-2-one | 108-10-1  | Australia OELs | TWA(8 hours): 205 mg/m3 (50 ppm); STEL(15 minutes): 307 mg/m3 (75 ppm) |  |
| Maleic anhydride     | 108-31-6  | ACGIH          | TWA(inhalable fraction and vapor):0.01 mg/m3                           | A4: Not class. as human carcin,<br>Dermal/Respiratory Sensitizer |
| Maleic anhydride     | 108-31-6  | Australia OELs | TWA(8 hours): 1 mg/m3 (0.25 ppm)                                       |  |
| o-Xylene             | 108-38-3  | ACGIH          | TWA:100 ppm;STEL:150 ppm   | A4: Not class. as human carcin                                   |
| o-Xylene             | 108-38-3  | Australia OELs | TWA(8 hours):350 mg/m3(80 ppm);STEL(15 minutes):655 mg/m3(150 ppm)     |  |
| Toluene              | 108-88-3  | ACGIH          | TWA:20 ppm   | A4: Not class. as human carcinogen, Ototoxicant                  |
| Toluene              | 108-88-3  | Australia OELs | TWA(8 hours):191 mg/m3(50 ppm);STEL(15 minutes):574 mg/m3(150 ppm)     | SKIN   |
| Chlorobenzene        | 108-90-7  | ACGIH          | TWA:10 ppm   | A3: Confirmed animal carcinogen.                                 |
| Chlorobenzene        | 108-90-7  | Australia OELs | TWA(8 hours):46 mg/m3(10 ppm)  |  |
| Cyclohexane          | 110-82-7  | ACGIH          | TWA:100 ppm  |  |
| Cyclohexane          | 110-82-7  | Australia OELs | TWA(8 hours):350 mg/m3(100 ppm);STEL(15 minutes):1050 mg/m3(300 ppm)   |  |
| Xylene               | 1330-20-7 | ACGIH          | TWA:100 ppm;STEL:150 ppm   | A4: Not class. as human carcin                                   |
| Xylene               | 1330-20-7 | Australia OELs | TWA(8 hours):350 mg/m3(80 ppm);STEL(15 minutes):655 mg/m3(150 ppm)     |  |
| ETHYL ACETATE        | 141-78-6  | ACGIH          | TWA:400 ppm  |  |
| ETHYL ACETATE        | 141-78-6  | Australia OELs | TWA(8 hours):720 mg/m3(200 ppm);STEL(15 minutes):1440 mg/m3(400 ppm)   |  |
| Ethanol              | 64-17-5   | ACGIH          | STEL:1000 ppm  | A3: Confirmed animal carcinogen.                                 |
| Ethanol              | 64-17-5   | Australia OELs | TWA(8 hours):1880 mg/m3(1000 ppm)                                      |  |
| Methanol             | 67-56-1   | ACGIH          | TWA:200 ppm;STEL:250 ppm   | Danger of cutaneous absorption                                   |
| Methanol             | 67-56-1   | Australia OELs | TWA(8 hours):262 mg/m3(200 ppm);STEL(15 minutes):328 mg/m3(250 ppm)    | SKIN   |

|                   |         |                |  |                                  |
|-------------------|---------|----------------|--|----------------------------------|
| Isopropyl Alcohol | 67-63-0 | ACGIH          | TWA:200 ppm;STEL:400 ppm   | A4: Not class. as human carcin   |
| Isopropyl Alcohol | 67-63-0 | Australia OELs | TWA(8 hours):983 mg/m <sup>3</sup> (400 ppm);STEL(15 minutes):1230 mg/m <sup>3</sup> (500 ppm)   |                                  |
| Acetone           | 67-64-1 | ACGIH          | TWA:250 ppm;STEL:500 ppm   | A4: Not class. as human carcin   |
| Acetone           | 67-64-1 | Australia OELs | TWA(8 hours):1185 mg/m <sup>3</sup> (500 ppm);STEL(15 minutes):2375 mg/m <sup>3</sup> (1000 ppm) |                                  |
| o-Xylene          | 95-47-6 | ACGIH          | TWA:100 ppm;STEL:150 ppm   | A4: Not class. as human carcin   |
| o-Xylene          | 95-47-6 | Australia OELs | TWA(8 hours):350 mg/m <sup>3</sup> (80 ppm);STEL(15 minutes):655 mg/m <sup>3</sup> (150 ppm)     |                                  |
| Cumene            | 98-82-8 | ACGIH          | TWA:5 ppm  | A3: Confirmed animal carcinogen. |
| Cumene            | 98-82-8 | Australia OELs | TWA(8 hours): 125 mg/m <sup>3</sup> (25 ppm); STEL(15 minutes): 375 mg/m <sup>3</sup> (75 ppm)   | SKIN                             |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

Australia OELs : Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Sen: Sensitiser

Sk: Absorption through the skin may be a significant source of exposure.

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment. Provide appropriate local exhaust ventilation on open containers.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Select and use eye protection in accordance with AS/NZS 1336. Eye protection should comply with the performance specifications of AS/NZS 1337.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

if this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Select and use gloves according to AS/NZ 2161.

### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

Half facepiece or full facepiece supplied-air respirator.

Organic vapour respirators may have short service life.

For questions about suitability for a specific application, consult with your respirator manufacturer.

Select and use respirators according to AS/NZS 1715. Respirators should comply with AS/NZS 1716 performance specifications. For information about respirators, call 3M on 1800 024 464.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |   |
|--|---|
| <b>Physical state</b>                                    | Liquid.   |
| <b>Specific Physical Form:</b>                           | Liquid.   |
| <b>Colour</b>  | Amber   |
| <b>Odour</b>   | Solvent   |
| <b>Odour threshold</b>                                   | <i>No data available.</i>   |
| <b>pH</b>  | <i>Not applicable.</i>  |
| <b>Melting point/Freezing point</b>                      | <i>Not applicable.</i>  |
| <b>Boiling point/Initial boiling point/Boiling range</b> | 76.7 °C   |
| <b>Flash point</b>                                       | -17.2 °C [ <i>Test Method:Closed Cup</i> ]  |
| <b>Evaporation rate</b>                                  | <i>No data available.</i>   |
| <b>Flammability (solid, gas)</b>                         | Not applicable.   |
| <b>Flammable Limits(LEL)</b>                             | 1 %   |
| <b>Flammable Limits(UEL)</b>                             | 11 %  |
| <b>Vapour pressure</b>                                   | 9,065.9 Pa [ <i>@ 20 °C</i> ]   |
| <b>Vapor Density and/or Relative Vapor Density</b>       | <i>No data available.</i>   |
| <b>Density</b>   | 0.82 g/ml   |
| <b>Relative density</b>                                  | 0.82 [ <i>@ 25 °C</i> ] [ <i>Ref Std:WATER=1</i> ]  |
| <b>Water solubility</b>                                  | Negligible  |
| <b>Solubility- non-water</b>                             | <i>No data available.</i>   |
| <b>Partition coefficient: n-octanol/water</b>            | <i>No data available.</i>   |
| <b>Autoignition temperature</b>                          | <i>No data available.</i>   |
| <b>Decomposition temperature</b>                         | <i>No data available.</i>   |
| <b>Viscosity/Kinematic Viscosity</b>                     | 1 - 35 mPa-s [ <i>@ 23 °C</i> ]   |
| <b>Volatile organic compounds (VOC)</b>                  | 781 g/l [ <i>Test Method:calculated SCAQMD rule 443.1</i> ]<br>[ <i>Details:low solids less exempts</i> ] |
| <b>Percent volatile</b>                                  | 95.3 - 97 % weight [ <i>Test Method:Estimated</i> ]   |
| <b>VOC less H2O &amp; exempt solvents</b>                | 781 g/l [ <i>Test Method:calculated SCAQMD rule 443.1</i> ]<br>[ <i>Details:low solids less exempts</i> ] |
| <b>Molecular weight</b>                                  | <i>No data available.</i>   |



**Nanoparticles**

This material does not contain nanoparticles.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

**10.2 Chemical stability**

Stable.

**10.3. Conditions to avoid**

Heat.

Sparks and/or flames.

**10.4. Possibility of hazardous reactions**

Hazardous polymerisation will not occur.

**10.5 Incompatible materials**

Strong oxidising agents.

**10.6 Hazardous decomposition products**

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects****Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

**Inhalation**

May be harmful if inhaled. Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

**Skin contact**

May be harmful in contact with skin.

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. May cause additional health effects (see below).

**Eye contact**

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

**Ingestion**

Chemical (aspiration) pneumonitis: Signs/symptoms may include coughing, gasping, choking, burning of the mouth, difficulty breathing, bluish coloured skin (cyanosis), and may be fatal. Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

**Additional Health Effects:****Single exposure may cause target organ effects:**

Auditory effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears. Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

**Prolonged or repeated exposure may cause target organ effects:**

Ocular effects: Signs/symptoms may include blurred or significantly impaired vision. Auditory effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears. Olfactory effects: Signs/symptoms may include decreased ability to detect odours and complete loss of smell. Neurological effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and changes in blood pressure and heart rate.

**Reproductive/Developmental Toxicity:**

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

**Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

**Additional information:**

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name            | Route                       | Species | Value  |
|-----------------|-----------------------------|---------|--|
| Overall product | Dermal                      |         | No data available; calculated ATE <sub>2,000 - 5,000</sub> mg/kg |
| Overall product | Inhalation-Vapour(4 hr)     |         | No data available; calculated ATE <sub>20 - 50</sub> mg/l        |
| Overall product | Ingestion                   |         | No data available; calculated ATE >5,000 mg/kg                   |
| Cyclohexane     | Dermal                      | Rat     | LD <sub>50</sub> > 2,000 mg/kg                                   |
| Cyclohexane     | Inhalation-Vapour (4 hours) | Rat     | LC <sub>50</sub> > 32.9 mg/l                                     |
| Cyclohexane     | Ingestion                   | Rat     | LD <sub>50</sub> 6,200 mg/kg                                     |
| Xylene          | Dermal                      | Rabbit  | LD <sub>50</sub> > 4,200 mg/kg                                   |
| Xylene          | Inhalation-Vapour (4 hours) | Rat     | LC <sub>50</sub> 29 mg/l   |
| Xylene          | Ingestion                   | Rat     | LD <sub>50</sub> 3,523 mg/kg                                     |
| o-Xylene        | Dermal                      | Rabbit  | LD <sub>50</sub> > 4,200 mg/kg                                   |
| o-Xylene        | Inhalation-Vapour (4 hours) | Rat     | LC <sub>50</sub> 29 mg/l   |
| o-Xylene        | Ingestion                   | Rat     | LD <sub>50</sub> 3,523 mg/kg                                     |
| Ethylbenzene    | Dermal                      | Rabbit  | LD <sub>50</sub> 15,433 mg/kg                                    |
| Ethylbenzene    | Inhalation-Vapour (4 hours) | Rat     | LC <sub>50</sub> 17.4 mg/l                                       |

|                        |                             |            |  |
|------------------------|-----------------------------|------------|--|
|                        | hours)                      |            |  |
| Ethylbenzene           | Ingestion                   | Rat        | LD50 4,769 mg/kg                         |
| Ethanol                | Dermal                      | Rabbit     | LD50 > 15,800 mg/kg                      |
| Ethanol                | Inhalation-Vapour (4 hours) | Rat        | LC50 124.7 mg/l                          |
| Ethanol                | Ingestion                   | Rat        | LD50 17,800 mg/kg                        |
| p-Xylene               | Dermal                      | Rabbit     | LD50 > 4,200 mg/kg                       |
| p-Xylene               | Inhalation-Vapour (4 hours) | Rat        | LC50 29 mg/l                             |
| p-Xylene               | Ingestion                   | Rat        | LD50 3,523 mg/kg                         |
| o-Xylene               | Dermal                      | Rabbit     | LD50 > 4,200 mg/kg                       |
| o-Xylene               | Inhalation-Vapour (4 hours) | Rat        | LC50 29 mg/l                             |
| o-Xylene               | Ingestion                   | Rat        | LD50 3,523 mg/kg                         |
| ETHYL ACETATE          | Dermal                      | Rabbit     | LD50 > 18,000 mg/kg                      |
| ETHYL ACETATE          | Inhalation-Vapour (4 hours) | Rat        | LC50 70.5 mg/l                           |
| ETHYL ACETATE          | Ingestion                   | Rat        | LD50 5,620 mg/kg                         |
| Toluene                | Dermal                      | Rat        | LD50 12,000 mg/kg                        |
| Toluene                | Inhalation-Vapour (4 hours) | Rat        | LC50 30 mg/l                             |
| Toluene                | Ingestion                   | Rat        | LD50 5,550 mg/kg                         |
| Chlorinated Polyolefin | Dermal                      | Guinea pig | LD50 > 1,000 mg/kg                       |
| Chlorinated Polyolefin | Ingestion                   | Rat        | LD50 > 3,200 mg/kg                       |
| Acetone                | Dermal                      | Rabbit     | LD50 > 15,688 mg/kg                      |
| Acetone                | Inhalation-Vapour (4 hours) | Rat        | LC50 76 mg/l                             |
| Acetone                | Ingestion                   | Rat        | LD50 5,800 mg/kg                         |
| Isopropyl Alcohol      | Dermal                      | Rabbit     | LD50 12,870 mg/kg                        |
| Isopropyl Alcohol      | Inhalation-Vapour (4 hours) | Rat        | LC50 72.6 mg/l                           |
| Isopropyl Alcohol      | Ingestion                   | Rat        | LD50 4,710 mg/kg                         |
| Methanol               | Dermal                      |            | LD50 estimated to be 1,000 - 2,000 mg/kg |
| Methanol               | Inhalation-Vapour           |            | LC50 estimated to be 10 - 20 mg/l        |
| Methanol               | Ingestion                   |            | LD50 estimated to be 50 - 300 mg/kg      |
| Epoxy Resin            | Dermal                      | Rat        | LD50 > 1,600 mg/kg                       |
| Epoxy Resin            | Ingestion                   | Rat        | LD50 > 1,000 mg/kg                       |
| Cumene                 | Dermal                      | Rabbit     | LD50 > 3,160 mg/kg                       |
| Cumene                 | Inhalation-Vapour (4 hours) | Rat        | LC50 39.4 mg/l                           |
| Cumene                 | Ingestion                   | Rat        | LD50 1,400 mg/kg                         |
| 4-Methylpentan-2-one   | Dermal                      | Rabbit     | LD50 > 16,000 mg/kg                      |
| 4-Methylpentan-2-one   | Inhalation-Vapour (4 hours) | Rat        | LC50 >8.2,<16.4 mg/l                     |
| 4-Methylpentan-2-one   | Ingestion                   | Rat        | LD50 3,038 mg/kg                         |
| Chlorobenzene          | Dermal                      | Rabbit     | LD50 2,212 mg/kg                         |
| Chlorobenzene          | Inhalation-Vapour (4 hours) | Rat        | LC50 16.7 mg/l                           |
| Chlorobenzene          | Ingestion                   | Rat        | LD50 1,419 mg/kg                         |
| Maleic anhydride       | Dermal                      | Rabbit     | LD50 2,620 mg/kg                         |
| Maleic anhydride       | Ingestion                   | Rat        | LD50 1,030 mg/kg                         |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name        | Species | Value         |
|-------------|---------|---------------|
| Cyclohexane | Rabbit  | Mild irritant |
| Xylene      | Rabbit  | Mild irritant |

|                        |                         |                           |
|------------------------|-------------------------|---------------------------|
| o-Xylene               | Rabbit                  | Mild irritant             |
| Ethylbenzene           | Rabbit                  | Mild irritant             |
| Ethanol                | Rabbit                  | No significant irritation |
| p-Xylene               | Rabbit                  | Mild irritant             |
| o-Xylene               | Rabbit                  | Mild irritant             |
| ETHYL ACETATE          | Rabbit                  | Minimal irritation        |
| Toluene                | Rabbit                  | Irritant                  |
| Chlorinated Polyolefin | Guinea pig              | No significant irritation |
| Acetone                | Mouse                   | Minimal irritation        |
| Isopropyl Alcohol      | Multiple animal species | No significant irritation |
| Methanol               | Rabbit                  | Mild irritant             |
| Epoxy Resin            | Rabbit                  | Mild irritant             |
| Cumene                 | Rabbit                  | Minimal irritation        |
| 4-Methylpentan-2-one   | Rabbit                  | Mild irritant             |
| Chlorobenzene          | Rabbit                  | Irritant                  |
| Maleic anhydride       | Human and animal        | Corrosive                 |

**Serious Eye Damage/Irritation**

| Name                   | Species                | Value             |
|------------------------|------------------------|-------------------|
| Cyclohexane            | Rabbit                 | Mild irritant     |
| Xylene                 | Rabbit                 | Mild irritant     |
| o-Xylene               | Rabbit                 | Mild irritant     |
| Ethylbenzene           | Rabbit                 | Moderate irritant |
| Ethanol                | Rabbit                 | Severe irritant   |
| p-Xylene               | Rabbit                 | Mild irritant     |
| o-Xylene               | Rabbit                 | Mild irritant     |
| ETHYL ACETATE          | Rabbit                 | Mild irritant     |
| Toluene                | Rabbit                 | Moderate irritant |
| Chlorinated Polyolefin | Professional judgement | Mild irritant     |
| Acetone                | Rabbit                 | Severe irritant   |
| Isopropyl Alcohol      | Rabbit                 | Severe irritant   |
| Methanol               | Rabbit                 | Moderate irritant |
| Epoxy Resin            | Rabbit                 | Moderate irritant |
| Cumene                 | Rabbit                 | Mild irritant     |
| 4-Methylpentan-2-one   | Rabbit                 | Mild irritant     |
| Chlorobenzene          | Rabbit                 | Mild irritant     |
| Maleic anhydride       | Rabbit                 | Corrosive         |

**Skin Sensitisation**

| Name                 | Species                 | Value          |
|----------------------|-------------------------|----------------|
| Ethylbenzene         | Human                   | Not classified |
| Ethanol              | Human                   | Not classified |
| ETHYL ACETATE        | Guinea pig              | Not classified |
| Toluene              | Guinea pig              | Not classified |
| Isopropyl Alcohol    | Guinea pig              | Not classified |
| Methanol             | Guinea pig              | Not classified |
| Epoxy Resin          | Human and animal        | Sensitising    |
| Cumene               | Guinea pig              | Not classified |
| 4-Methylpentan-2-one | Guinea pig              | Not classified |
| Chlorobenzene        | Multiple animal species | Not classified |
| Maleic anhydride     | Multiple animal species | Sensitising    |

**Respiratory Sensitisation**

| Name | Species | Value |
|------|---------|-------|
|------|---------|-------|

|                  |       |                |
|------------------|-------|----------------|
| Epoxy Resin      | Human | Not classified |
| Maleic anhydride | Human | Sensitising    |

**Germ Cell Mutagenicity**

| Name                 | Route    | Value  |
|----------------------|----------|--|
| Cyclohexane          | In Vitro | Not mutagenic  |
| Cyclohexane          | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Xylene               | In Vitro | Not mutagenic  |
| Xylene               | In vivo  | Not mutagenic  |
| o-Xylene             | In Vitro | Not mutagenic  |
| o-Xylene             | In vivo  | Not mutagenic  |
| Ethylbenzene         | In vivo  | Not mutagenic  |
| Ethylbenzene         | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Ethanol              | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Ethanol              | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| p-Xylene             | In Vitro | Not mutagenic  |
| p-Xylene             | In vivo  | Not mutagenic  |
| o-Xylene             | In Vitro | Not mutagenic  |
| o-Xylene             | In vivo  | Not mutagenic  |
| ETHYL ACETATE        | In Vitro | Not mutagenic  |
| ETHYL ACETATE        | In vivo  | Not mutagenic  |
| Toluene              | In Vitro | Not mutagenic  |
| Toluene              | In vivo  | Not mutagenic  |
| Acetone              | In vivo  | Not mutagenic  |
| Acetone              | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Isopropyl Alcohol    | In Vitro | Not mutagenic  |
| Isopropyl Alcohol    | In vivo  | Not mutagenic  |
| Methanol             | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Methanol             | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Epoxy Resin          | In vivo  | Not mutagenic  |
| Epoxy Resin          | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Cumene               | In Vitro | Not mutagenic  |
| Cumene               | In vivo  | Not mutagenic  |
| 4-Methylpentan-2-one | In Vitro | Not mutagenic  |
| Chlorobenzene        | In Vitro | Not mutagenic  |
| Maleic anhydride     | In vivo  | Not mutagenic  |
| Maleic anhydride     | In Vitro | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name     | Route      | Species                 | Value  |
|----------|------------|-------------------------|--|
| Xylene   | Dermal     | Rat                     | Not carcinogenic   |
| Xylene   | Ingestion  | Multiple animal species | Not carcinogenic   |
| Xylene   | Inhalation | Human                   | Some positive data exist, but the data are not sufficient for classification |
| o-Xylene | Dermal     | Rat                     | Not carcinogenic   |
| o-Xylene | Ingestion  | Multiple animal species | Not carcinogenic   |

|                      |                |                         |  |
|----------------------|----------------|-------------------------|--|
| o-Xylene             | Inhalation     | Human                   | Some positive data exist, but the data are not sufficient for classification |
| Ethylbenzene         | Inhalation     | Multiple animal species | Carcinogenic.  |
| Ethanol              | Ingestion      | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| p-Xylene             | Dermal         | Rat                     | Not carcinogenic   |
| p-Xylene             | Ingestion      | Multiple animal species | Not carcinogenic   |
| p-Xylene             | Inhalation     | Human                   | Some positive data exist, but the data are not sufficient for classification |
| o-Xylene             | Dermal         | Rat                     | Not carcinogenic   |
| o-Xylene             | Ingestion      | Multiple animal species | Not carcinogenic   |
| o-Xylene             | Inhalation     | Human                   | Some positive data exist, but the data are not sufficient for classification |
| Toluene              | Dermal         | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Toluene              | Ingestion      | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| Toluene              | Inhalation     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Acetone              | Not specified. | Multiple animal species | Not carcinogenic   |
| Isopropyl Alcohol    | Inhalation     | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| Methanol             | Inhalation     | Multiple animal species | Not carcinogenic   |
| Epoxy Resin          | Dermal         | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Cumene               | Inhalation     | Multiple animal species | Carcinogenic.  |
| 4-Methylpentan-2-one | Inhalation     | Multiple animal species | Carcinogenic.  |
| Chlorobenzene        | Ingestion      | Multiple animal species | Not carcinogenic   |

## Reproductive Toxicity

### Reproductive and/or Developmental Effects

| Name        | Route      | Value                                  | Species                 | Test result         | Exposure Duration     |
|-------------|------------|--|-------------------------|---------------------|-----------------------|
| Cyclohexane | Inhalation | Not classified for female reproduction | Rat                     | NOAEL 24 mg/l       | 2 generation          |
| Cyclohexane | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 24 mg/l       | 2 generation          |
| Cyclohexane | Inhalation | Not classified for development         | Rat                     | NOAEL 6.9 mg/l      | 2 generation          |
| Xylene      | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available | occupational exposure |
| Xylene      | Ingestion  | Not classified for development         | Mouse                   | NOAEL Not available | during organogenesis  |
| Xylene      | Inhalation | Not classified for development         | Multiple animal species | NOAEL Not available | during gestation      |
| o-Xylene    | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available | occupational exposure |
| o-Xylene    | Ingestion  | Not classified for development         | Mouse                   | NOAEL Not available | during organogenesis  |
| o-Xylene    | Inhalation | Not classified for development         | Multiple animal species | NOAEL Not available | during gestation      |

|                      |            |  |                         |                       |                                |
|----------------------|------------|--|-------------------------|-----------------------|--------------------------------|
| Ethylbenzene         | Inhalation | Not classified for development         | Rat                     | NOAEL 4.3 mg/l        | prematuring & during gestation |
| Ethanol              | Inhalation | Not classified for development         | Rat                     | NOAEL 38 mg/l         | during gestation               |
| Ethanol              | Ingestion  | Not classified for development         | Rat                     | NOAEL 5,200 mg/kg/day | prematuring & during gestation |
| p-Xylene             | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available   | occupational exposure          |
| p-Xylene             | Ingestion  | Not classified for development         | Mouse                   | NOAEL Not available   | during organogenesis           |
| p-Xylene             | Inhalation | Not classified for development         | Multiple animal species | NOAEL Not available   | during gestation               |
| o-Xylene             | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available   | occupational exposure          |
| o-Xylene             | Ingestion  | Not classified for development         | Mouse                   | NOAEL Not available   | during organogenesis           |
| o-Xylene             | Inhalation | Not classified for development         | Multiple animal species | NOAEL Not available   | during gestation               |
| Toluene              | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available   | occupational exposure          |
| Toluene              | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 2.3 mg/l        | 1 generation                   |
| Toluene              | Ingestion  | Toxic to development                   | Rat                     | LOAEL 520 mg/kg/day   | during gestation               |
| Toluene              | Inhalation | Toxic to development                   | Human                   | NOAEL Not available   | poisoning and/or abuse         |
| Acetone              | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 1,700 mg/kg/day | 13 weeks                       |
| Acetone              | Inhalation | Not classified for development         | Rat                     | NOAEL 5.2 mg/l        | during organogenesis           |
| Isopropyl Alcohol    | Ingestion  | Not classified for development         | Rat                     | NOAEL 400 mg/kg/day   | during organogenesis           |
| Isopropyl Alcohol    | Inhalation | Not classified for development         | Rat                     | LOAEL 9 mg/l          | during gestation               |
| Methanol             | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 1,600 mg/kg/day | 21 days                        |
| Methanol             | Ingestion  | Toxic to development                   | Mouse                   | LOAEL 4,000 mg/kg/day | during organogenesis           |
| Methanol             | Inhalation | Toxic to development                   | Mouse                   | NOAEL 1.3 mg/l        | during organogenesis           |
| Epoxy Resin          | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 750 mg/kg/day   | 2 generation                   |
| Epoxy Resin          | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 750 mg/kg/day   | 2 generation                   |
| Epoxy Resin          | Dermal     | Not classified for development         | Rabbit                  | NOAEL 300 mg/kg/day   | during organogenesis           |
| Epoxy Resin          | Ingestion  | Not classified for development         | Rat                     | NOAEL 750 mg/kg/day   | 2 generation                   |
| Cumene               | Inhalation | Not classified for development         | Rabbit                  | NOAEL 11.3 mg/l       | during organogenesis           |
| 4-Methylpentan-2-one | Inhalation | Not classified for female reproduction | Multiple animal species | NOAEL 8.2 mg/l        | 2 generation                   |
| 4-Methylpentan-2-one | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 1,000 mg/kg/day | 13 weeks                       |
| 4-Methylpentan-2-    | Inhalation | Not classified for                     | Multiple animal         | NOAEL 8.2             | 2 generation                   |

|                      |            |  |         |                     |                      |
|----------------------|------------|--|---------|---------------------|----------------------|
| one                  |            | male reproduction                      | species | mg/l                |                      |
| 4-Methylpentan-2-one | Inhalation | Not classified for development         | Mouse   | NOAEL 12.3 mg/l     | during organogenesis |
| Chlorobenzene        | Inhalation | Not classified for female reproduction | Rat     | NOAEL 2.07 mg/l     | 2 generation         |
| Chlorobenzene        | Ingestion  | Not classified for development         | Rat     | NOAEL 300 mg/kg/day | during organogenesis |
| Chlorobenzene        | Inhalation | Not classified for development         | Rat     | NOAEL 2.07 mg/l     | 2 generation         |
| Chlorobenzene        | Inhalation | Not classified for male reproduction   | Rat     | NOAEL 2.07 mg/l     | 2 generation         |
| Maleic anhydride     | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 55 mg/kg/day  | 2 generation         |
| Maleic anhydride     | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 55 mg/kg/day  | 2 generation         |
| Maleic anhydride     | Ingestion  | Not classified for development         | Rat     | NOAEL 140 mg/kg/day | during organogenesis |

### Lactation

| Name     | Route     | Species | Value  |
|----------|-----------|---------|--|
| Xylene   | Ingestion | Mouse   | Not classified for effects on or via lactation |
| o-Xylene | Ingestion | Mouse   | Not classified for effects on or via lactation |
| p-Xylene | Ingestion | Mouse   | Not classified for effects on or via lactation |
| o-Xylene | Ingestion | Mouse   | Not classified for effects on or via lactation |

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

| Name        | Route      | Target Organ(s)                   | Value  | Species                | Test result         | Exposure Duration |
|-------------|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| Cyclohexane | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal       | NOAEL Not available |                   |
| Cyclohexane | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human and animal       | NOAEL Not available |                   |
| Cyclohexane | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement | NOAEL Not available |                   |
| Xylene      | Inhalation | auditory system                   | Causes damage to organs  | Rat                    | LOAEL 6.3 mg/l      | 8 hours           |
| Xylene      | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                  | NOAEL Not available |                   |
| Xylene      | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                  | NOAEL Not available |                   |
| Xylene      | Inhalation | eyes                              | Not classified   | Rat                    | NOAEL 3.5 mg/l      | not available     |
| Xylene      | Inhalation | liver                             | Not classified   | Multiple               | NOAEL Not           |                   |



|              |            |                                   |  | animal species          | available           |                |
|--------------|------------|-----------------------------------|--|-------------------------|---------------------|----------------|
| Xylene       | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available |                |
| Xylene       | Ingestion  | eyes                              | Not classified   | Rat                     | NOAEL 250 mg/kg     | not applicable |
| o-Xylene     | Inhalation | auditory system                   | Causes damage to organs  | Rat                     | LOAEL 6.3 mg/l      | 8 hours        |
| o-Xylene     | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                |
| o-Xylene     | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                |
| o-Xylene     | Inhalation | eyes                              | Not classified   | Rat                     | NOAEL 3.5 mg/l      | not available  |
| o-Xylene     | Inhalation | liver                             | Not classified   | Multiple animal species | NOAEL Not available |                |
| o-Xylene     | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available |                |
| o-Xylene     | Ingestion  | eyes                              | Not classified   | Rat                     | NOAEL 250 mg/kg     | not applicable |
| Ethylbenzene | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                |
| Ethylbenzene | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human and animal        | NOAEL Not available |                |
| Ethanol      | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | LOAEL 9.4 mg/l      | not available  |
| Ethanol      | Inhalation | central nervous system depression | Not classified   | Human and animal        | NOAEL not available |                |
| Ethanol      | Ingestion  | central nervous system depression | Not classified   | Multiple animal species | NOAEL not available |                |
| Ethanol      | Ingestion  | kidney and/or bladder             | Not classified   | Dog                     | NOAEL 3,000 mg/kg   |                |
| p-Xylene     | Inhalation | auditory system                   | Causes damage to organs  | Rat                     | LOAEL 6.3 mg/l      | 8 hours        |
| p-Xylene     | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                |
| p-Xylene     | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                |
| p-Xylene     | Inhalation | eyes                              | Not classified   | Rat                     | NOAEL 3.5 mg/l      | not available  |
| p-Xylene     | Inhalation | liver                             | Not classified   | Multiple animal species | NOAEL Not available |                |

|               |            |                                   |  |                         |                     |                        |
|---------------|------------|-----------------------------------|--|-------------------------|---------------------|------------------------|
| p-Xylene      | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available |                        |
| p-Xylene      | Ingestion  | eyes                              | Not classified   | Rat                     | NOAEL 250 mg/kg     | not applicable         |
| o-Xylene      | Inhalation | auditory system                   | Causes damage to organs  | Rat                     | LOAEL 6.3 mg/l      | 8 hours                |
| o-Xylene      | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| o-Xylene      | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| o-Xylene      | Inhalation | eyes                              | Not classified   | Rat                     | NOAEL 3.5 mg/l      | not available          |
| o-Xylene      | Inhalation | liver                             | Not classified   | Multiple animal species | NOAEL Not available |                        |
| o-Xylene      | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available |                        |
| o-Xylene      | Ingestion  | eyes                              | Not classified   | Rat                     | NOAEL 250 mg/kg     | not applicable         |
| ETHYL ACETATE | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| ETHYL ACETATE | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| ETHYL ACETATE | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| Toluene       | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| Toluene       | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| Toluene       | Inhalation | immune system                     | Not classified   | Mouse                   | NOAEL 0.004 mg/l    | 3 hours                |
| Toluene       | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available | poisoning and/or abuse |
| Acetone       | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| Acetone       | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| Acetone       | Inhalation | immune system                     | Not classified   | Human                   | NOAEL 1.19 mg/l     | 6 hours                |
| Acetone       | Inhalation | liver                             | Not classified   | Guinea pig              | NOAEL Not available |                        |
| Acetone       | Ingestion  | central nervous                   | May cause  | Human                   | NOAEL Not           | poisoning and/or       |

|                      |            |                                   |  |                         |                     |                        |
|----------------------|------------|-----------------------------------|--|-------------------------|---------------------|------------------------|
|                      |            | system depression                 | drowsiness or dizziness  |                         | available           | abuse                  |
| Isopropyl Alcohol    | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| Isopropyl Alcohol    | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| Isopropyl Alcohol    | Inhalation | auditory system                   | Not classified   | Guinea pig              | NOAEL 13.4 mg/l     | 24 hours               |
| Isopropyl Alcohol    | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available | poisoning and/or abuse |
| Methanol             | Inhalation | blindness                         | Causes damage to organs  | Human                   | NOAEL Not available | occupational exposure  |
| Methanol             | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available | not available          |
| Methanol             | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL Not available | 6 hours                |
| Methanol             | Ingestion  | blindness                         | Causes damage to organs  | Human                   | NOAEL Not available | poisoning and/or abuse |
| Methanol             | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available | poisoning and/or abuse |
| Cumene               | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available | not available          |
| Cumene               | Inhalation | respiratory irritation            | May cause respiratory irritation   | Human                   | LOAEL 0.2 mg/l      | occupational exposure  |
| Cumene               | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available | not available          |
| 4-Methylpentan-2-one | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | LOAEL 0.1 mg/l      | 2 hours                |
| 4-Methylpentan-2-one | Inhalation | respiratory irritation            | May cause respiratory irritation   | Human                   | NOAEL 0.9 mg/l      | 7 minutes              |
| 4-Methylpentan-2-one | Inhalation | vascular system                   | Not classified   | Dog                     | NOAEL Not available | not available          |
| 4-Methylpentan-2-one | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Rat                     | LOAEL 900 mg/kg     | not applicable         |
| Chlorobenzene        | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                        |
| Chlorobenzene        | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available | occupational exposure  |
| Maleic anhydride     | Inhalation | respiratory irritation            | May cause respiratory  | Human                   | NOAEL Not available |                        |

|  |  |  |            |  |  |  |
|--|--|--|------------|--|--|--|
|  |  |  | irritation |  |  |  |
|--|--|--|------------|--|--|--|

**Specific Target Organ Toxicity - repeated exposure**

| Name        | Route      | Target Organ(s)  | Value  | Species                 | Test result           | Exposure Duration |
|-------------|------------|--|--|-------------------------|-----------------------|-------------------|
| Cyclohexane | Inhalation | liver  | Not classified   | Rat                     | NOAEL 24 mg/l         | 90 days           |
| Cyclohexane | Inhalation | auditory system  | Not classified   | Rat                     | NOAEL 1.7 mg/l        | 90 days           |
| Cyclohexane | Inhalation | kidney and/or bladder  | Not classified   | Rabbit                  | NOAEL 2.7 mg/l        | 10 weeks          |
| Cyclohexane | Inhalation | hematopoietic system   | Not classified   | Mouse                   | NOAEL 24 mg/l         | 14 weeks          |
| Cyclohexane | Inhalation | peripheral nervous system  | Not classified   | Rat                     | NOAEL 8.6 mg/l        | 30 weeks          |
| Xylene      | Inhalation | nervous system   | Causes damage to organs through prolonged or repeated exposure   | Rat                     | LOAEL 0.4 mg/l        | 4 weeks           |
| Xylene      | Inhalation | auditory system  | May cause damage to organs though prolonged or repeated exposure | Rat                     | LOAEL 7.8 mg/l        | 5 days            |
| Xylene      | Inhalation | liver  | Not classified   | Multiple animal species | NOAEL Not available   |                   |
| Xylene      | Inhalation | heart   endocrine system   gastrointestinal tract   hematopoietic system   muscles   kidney and/or bladder   respiratory system                | Not classified   | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks          |
| Xylene      | Ingestion  | auditory system  | Not classified   | Rat                     | NOAEL 900 mg/kg/day   | 2 weeks           |
| Xylene      | Ingestion  | kidney and/or bladder  | Not classified   | Rat                     | NOAEL 1,500 mg/kg/day | 90 days           |
| Xylene      | Ingestion  | liver  | Not classified   | Multiple animal species | NOAEL Not available   |                   |
| Xylene      | Ingestion  | heart   skin   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   respiratory system | Not classified   | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks         |
| o-Xylene    | Inhalation | nervous system   | Causes damage to organs through prolonged or repeated exposure   | Rat                     | LOAEL 0.4 mg/l        | 4 weeks           |
| o-Xylene    | Inhalation | auditory system  | May cause damage to organs though prolonged or repeated exposure | Rat                     | LOAEL 7.8 mg/l        | 5 days            |

|              |            |  |  |                         |                       |           |
|--------------|------------|--|--|-------------------------|-----------------------|-----------|
| o-Xylene     | Inhalation | liver  | Not classified   | Multiple animal species | NOAEL Not available   |           |
| o-Xylene     | Inhalation | heart   endocrine system   gastrointestinal tract   hematopoietic system   muscles   kidney and/or bladder   respiratory system                | Not classified   | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| o-Xylene     | Ingestion  | auditory system  | Not classified   | Rat                     | NOAEL 900 mg/kg/day   | 2 weeks   |
| o-Xylene     | Ingestion  | kidney and/or bladder  | Not classified   | Rat                     | NOAEL 1,500 mg/kg/day | 90 days   |
| o-Xylene     | Ingestion  | liver  | Not classified   | Multiple animal species | NOAEL Not available   |           |
| o-Xylene     | Ingestion  | heart   skin   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   respiratory system | Not classified   | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Ethylbenzene | Inhalation | kidney and/or bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 1.1 mg/l        | 2 years   |
| Ethylbenzene | Inhalation | liver  | Some positive data exist, but the data are not sufficient for classification | Mouse                   | NOAEL 1.1 mg/l        | 103 weeks |
| Ethylbenzene | Inhalation | hematopoietic system   | Not classified   | Rat                     | NOAEL 3.4 mg/l        | 28 days   |
| Ethylbenzene | Inhalation | auditory system  | Not classified   | Rat                     | NOAEL 2.4 mg/l        | 5 days    |
| Ethylbenzene | Inhalation | endocrine system   | Not classified   | Mouse                   | NOAEL 3.3 mg/l        | 103 weeks |
| Ethylbenzene | Inhalation | gastrointestinal tract   | Not classified   | Rat                     | NOAEL 3.3 mg/l        | 2 years   |
| Ethylbenzene | Inhalation | bone, teeth, nails, and/or hair   muscles  | Not classified   | Multiple animal species | NOAEL 4.2 mg/l        | 90 days   |
| Ethylbenzene | Inhalation | heart   immune system   respiratory system   | Not classified   | Multiple animal species | NOAEL 3.3 mg/l        | 2 years   |
| Ethylbenzene | Ingestion  | liver   kidney and/or bladder  | Not classified   | Rat                     | NOAEL 680 mg/kg/day   | 6 months  |
| Ethanol      | Inhalation | liver  | Some positive data exist, but the data are not sufficient for classification | Rabbit                  | LOAEL 124 mg/l        | 365 days  |

|          |            |  |  |                         |                       |           |
|----------|------------|--|--|-------------------------|-----------------------|-----------|
| Ethanol  | Inhalation | hematopoietic system   immune system   | Not classified   | Rat                     | NOAEL 25 mg/l         | 14 days   |
| Ethanol  | Ingestion  | liver  | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 8,000 mg/kg/day | 4 months  |
| Ethanol  | Ingestion  | kidney and/or bladder  | Not classified   | Dog                     | NOAEL 3,000 mg/kg/day | 7 days    |
| p-Xylene | Inhalation | nervous system   | Causes damage to organs through prolonged or repeated exposure               | Rat                     | LOAEL 0.4 mg/l        | 4 weeks   |
| p-Xylene | Inhalation | auditory system  | May cause damage to organs through prolonged or repeated exposure            | Rat                     | LOAEL 7.8 mg/l        | 5 days    |
| p-Xylene | Inhalation | liver  | Not classified   | Multiple animal species | NOAEL Not available   |           |
| p-Xylene | Inhalation | heart   endocrine system   gastrointestinal tract   hematopoietic system   muscles   kidney and/or bladder   respiratory system                | Not classified   | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| p-Xylene | Ingestion  | auditory system  | Not classified   | Rat                     | NOAEL 900 mg/kg/day   | 2 weeks   |
| p-Xylene | Ingestion  | kidney and/or bladder  | Not classified   | Rat                     | NOAEL 1,500 mg/kg/day | 90 days   |
| p-Xylene | Ingestion  | liver  | Not classified   | Multiple animal species | NOAEL Not available   |           |
| p-Xylene | Ingestion  | heart   skin   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   respiratory system | Not classified   | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| o-Xylene | Inhalation | nervous system   | Causes damage to organs through prolonged or repeated exposure               | Rat                     | LOAEL 0.4 mg/l        | 4 weeks   |
| o-Xylene | Inhalation | auditory system  | May cause damage to organs through prolonged or repeated exposure            | Rat                     | LOAEL 7.8 mg/l        | 5 days    |
| o-Xylene | Inhalation | liver  | Not classified   | Multiple animal species | NOAEL Not available   |           |
| o-Xylene | Inhalation | heart   endocrine system   | Not classified   | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |

|               |            |  |  |                         |                       |                        |
|---------------|------------|--|--|-------------------------|-----------------------|------------------------|
|               |            | gastrointestinal tract   hematopoietic system   muscles   kidney and/or bladder   respiratory system   |  |                         |                       |                        |
| o-Xylene      | Ingestion  | auditory system  | Not classified   | Rat                     | NOAEL 900 mg/kg/day   | 2 weeks                |
| o-Xylene      | Ingestion  | kidney and/or bladder  | Not classified   | Rat                     | NOAEL 1,500 mg/kg/day | 90 days                |
| o-Xylene      | Ingestion  | liver  | Not classified   | Multiple animal species | NOAEL Not available   |                        |
| o-Xylene      | Ingestion  | heart   skin   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   respiratory system | Not classified   | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks              |
| ETHYL ACETATE | Inhalation | endocrine system   liver   nervous system  | Not classified   | Rat                     | NOAEL 0.043 mg/l      | 90 days                |
| ETHYL ACETATE | Inhalation | hematopoietic system   | Not classified   | Rabbit                  | LOAEL 16 mg/l         | 40 days                |
| ETHYL ACETATE | Ingestion  | hematopoietic system   liver   kidney and/or bladder   | Not classified   | Rat                     | NOAEL 3,600 mg/kg/day | 90 days                |
| Toluene       | Inhalation | auditory system   eyes   olfactory system  | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available   | poisoning and/or abuse |
| Toluene       | Inhalation | nervous system   | May cause damage to organs through prolonged or repeated exposure            | Human                   | NOAEL Not available   | poisoning and/or abuse |
| Toluene       | Inhalation | respiratory system   | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 2.3 mg/l        | 15 months              |
| Toluene       | Inhalation | heart   liver   kidney and/or bladder  | Not classified   | Rat                     | NOAEL 11.3 mg/l       | 15 weeks               |
| Toluene       | Inhalation | endocrine system   | Not classified   | Rat                     | NOAEL 1.1 mg/l        | 4 weeks                |
| Toluene       | Inhalation | immune system  | Not classified   | Mouse                   | NOAEL Not available   | 20 days                |
| Toluene       | Inhalation | bone, teeth, nails, and/or hair  | Not classified   | Mouse                   | NOAEL 1.1 mg/l        | 8 weeks                |
| Toluene       | Inhalation | hematopoietic system   vascular system   | Not classified   | Human                   | NOAEL Not available   | occupational exposure  |
| Toluene       | Inhalation | gastrointestinal   | Not classified   | Multiple                | NOAEL 11.3            | 15 weeks               |

|                   |            | tract                                  |  | animal species          | mg/l                   |               |
|-------------------|------------|--|--|-------------------------|------------------------|---------------|
| Toluene           | Ingestion  | nervous system                         | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 625 mg/kg/day    | 13 weeks      |
| Toluene           | Ingestion  | heart                                  | Not classified   | Rat                     | NOAEL 2,500 mg/kg/day  | 13 weeks      |
| Toluene           | Ingestion  | liver   kidney and/or bladder          | Not classified   | Multiple animal species | NOAEL 2,500 mg/kg/day  | 13 weeks      |
| Toluene           | Ingestion  | hematopoietic system                   | Not classified   | Mouse                   | NOAEL 600 mg/kg/day    | 14 days       |
| Toluene           | Ingestion  | endocrine system                       | Not classified   | Mouse                   | NOAEL 105 mg/kg/day    | 28 days       |
| Toluene           | Ingestion  | immune system                          | Not classified   | Mouse                   | NOAEL 105 mg/kg/day    | 4 weeks       |
| Acetone           | Dermal     | eyes                                   | Not classified   | Guinea pig              | NOAEL Not available    | 3 weeks       |
| Acetone           | Inhalation | hematopoietic system                   | Not classified   | Human                   | NOAEL 3 mg/l           | 6 weeks       |
| Acetone           | Inhalation | immune system                          | Not classified   | Human                   | NOAEL 1.19 mg/l        | 6 days        |
| Acetone           | Inhalation | kidney and/or bladder                  | Not classified   | Guinea pig              | NOAEL 119 mg/l         | not available |
| Acetone           | Inhalation | heart   liver                          | Not classified   | Rat                     | NOAEL 45 mg/l          | 8 weeks       |
| Acetone           | Ingestion  | kidney and/or bladder                  | Not classified   | Rat                     | NOAEL 900 mg/kg/day    | 13 weeks      |
| Acetone           | Ingestion  | heart                                  | Not classified   | Rat                     | NOAEL 2,500 mg/kg/day  | 13 weeks      |
| Acetone           | Ingestion  | hematopoietic system                   | Not classified   | Rat                     | NOAEL 200 mg/kg/day    | 13 weeks      |
| Acetone           | Ingestion  | liver                                  | Not classified   | Mouse                   | NOAEL 3,896 mg/kg/day  | 14 days       |
| Acetone           | Ingestion  | eyes                                   | Not classified   | Rat                     | NOAEL 3,400 mg/kg/day  | 13 weeks      |
| Acetone           | Ingestion  | respiratory system                     | Not classified   | Rat                     | NOAEL 2,500 mg/kg/day  | 13 weeks      |
| Acetone           | Ingestion  | muscles                                | Not classified   | Rat                     | NOAEL 2,500 mg/kg      | 13 weeks      |
| Acetone           | Ingestion  | skin   bone, teeth, nails, and/or hair | Not classified   | Mouse                   | NOAEL 11,298 mg/kg/day | 13 weeks      |
| Isopropyl Alcohol | Inhalation | kidney and/or bladder                  | Not classified   | Rat                     | NOAEL 12.3 mg/l        | 24 months     |
| Isopropyl Alcohol | Inhalation | nervous system                         | Not classified   | Rat                     | NOAEL 12 mg/l          | 13 weeks      |
| Isopropyl Alcohol | Ingestion  | kidney and/or bladder                  | Not classified   | Rat                     | NOAEL 400 mg/kg/day    | 12 weeks      |
| Methanol          | Inhalation | liver                                  | Not classified   | Rat                     | NOAEL 6.55 mg/l        | 4 weeks       |
| Methanol          | Inhalation | respiratory system                     | Not classified   | Rat                     | NOAEL 13.1 mg/l        | 6 weeks       |
| Methanol          | Ingestion  | liver   nervous system                 | Not classified   | Rat                     | NOAEL 2,500 mg/kg/day  | 90 days       |
| Epoxy Resin       | Dermal     | liver                                  | Not classified   | Rat                     | NOAEL 1,000 mg/kg/day  | 2 years       |
| Epoxy Resin       | Dermal     | nervous system                         | Not classified   | Rat                     | NOAEL 1,000 mg/kg/day  | 13 weeks      |
| Epoxy Resin       | Ingestion  | auditory system   heart                | Not classified   | Rat                     | NOAEL 1,000 mg/kg/day  | 28 days       |



|                      |            |  |  |                         |                       |              |
|----------------------|------------|--|--|-------------------------|-----------------------|--------------|
|                      |            | endocrine system   hematopoietic system   liver   eyes   kidney and/or bladder                       |  |                         |                       |              |
| Cumene               | Inhalation | auditory system   endocrine system   hematopoietic system   liver   nervous system   eyes            | Not classified   | Rat                     | NOAEL 59 mg/l         | 13 weeks     |
| Cumene               | Inhalation | kidney and/or bladder  | Not classified   | Rat                     | NOAEL 4.9 mg/l        | 13 weeks     |
| Cumene               | Inhalation | respiratory system   | Not classified   | Rat                     | NOAEL 59 mg/l         | 13 weeks     |
| Cumene               | Ingestion  | kidney and/or bladder   heart   endocrine system   hematopoietic system   liver   respiratory system | Not classified   | Rat                     | NOAEL 769 mg/kg/day   | 6 months     |
| 4-Methylpentan-2-one | Inhalation | liver  | Not classified   | Rat                     | NOAEL 0.41 mg/l       | 13 weeks     |
| 4-Methylpentan-2-one | Inhalation | heart  | Not classified   | Multiple animal species | NOAEL 0.8 mg/l        | 2 weeks      |
| 4-Methylpentan-2-one | Inhalation | kidney and/or bladder  | Not classified   | Multiple animal species | NOAEL 0.4 mg/l        | 90 days      |
| 4-Methylpentan-2-one | Inhalation | respiratory system   | Not classified   | Multiple animal species | NOAEL 4.1 mg/l        | 14 weeks     |
| 4-Methylpentan-2-one | Inhalation | endocrine system   hematopoietic system  | Not classified   | Multiple animal species | NOAEL 0.41 mg/l       | 90 days      |
| 4-Methylpentan-2-one | Inhalation | nervous system   | Not classified   | Multiple animal species | NOAEL 0.41 mg/l       | 13 weeks     |
| 4-Methylpentan-2-one | Ingestion  | endocrine system   hematopoietic system   liver   kidney and/or bladder                              | Not classified   | Rat                     | NOAEL 1,000 mg/kg/day | 13 weeks     |
| 4-Methylpentan-2-one | Ingestion  | heart   immune system   muscles   nervous system   respiratory system                                | Not classified   | Rat                     | NOAEL 1,040 mg/kg/day | 120 days     |
| Chlorobenzene        | Inhalation | kidney and/or bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 0.69 mg/l       | 2 generation |
| Chlorobenzene        | Inhalation | liver  | Not classified   | Rat                     | NOAEL 2.1             | 2 generation |

|                  |            |   |  |     |                     |          |
|------------------|------------|---|--|-----|---------------------|----------|
| e                |            |   |  |     | mg/l                |          |
| Chlorobenzene    | Inhalation | blood   | Not classified   | Rat | NOAEL 0.35 mg/l     | 24 weeks |
| Chlorobenzene    | Ingestion  | bone marrow   | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 250 mg/kg/day | 13 weeks |
| Chlorobenzene    | Ingestion  | liver   | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 188 mg/kg/day | 192 days |
| Chlorobenzene    | Ingestion  | kidney and/or bladder   | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 125 mg/kg/day | 13 weeks |
| Chlorobenzene    | Ingestion  | immune system   | Not classified   | Rat | NOAEL 750 mg/kg/day | 13 weeks |
| Maleic anhydride | Inhalation | respiratory system  | Causes damage to organs through prolonged or repeated exposure               | Rat | LOAEL 0.0011 mg/l   | 6 months |
| Maleic anhydride | Inhalation | endocrine system   hematopoietic system   nervous system   kidney and/or bladder   heart   liver   eyes | Not classified   | Rat | NOAEL 0.0098 mg/l   | 6 months |
| Maleic anhydride | Ingestion  | kidney and/or bladder   | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 55 mg/kg/day  | 80 days  |
| Maleic anhydride | Ingestion  | liver   | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 250 mg/kg/day | 183 days |
| Maleic anhydride | Ingestion  | heart   nervous system  | Not classified   | Rat | NOAEL 600 mg/kg/day | 183 days |
| Maleic anhydride | Ingestion  | gastrointestinal tract  | Not classified   | Rat | NOAEL 150 mg/kg/day | 80 days  |
| Maleic anhydride | Ingestion  | hematopoietic system  | Not classified   | Dog | NOAEL 60 mg/kg/day  | 90 days  |
| Maleic anhydride | Ingestion  | skin   endocrine system   immune system   eyes   respiratory system                                     | Not classified   | Rat | NOAEL 150 mg/kg/day | 80 days  |

**Aspiration Hazard**

| Name        | Value             |
|-------------|-------------------|
| Cyclohexane | Aspiration hazard |
| Xylene      | Aspiration hazard |
| o-Xylene    | Aspiration hazard |

|                      |  |
|----------------------|--|
| Ethylbenzene         | Aspiration hazard  |
| p-Xylene             | Aspiration hazard  |
| o-Xylene             | Aspiration hazard  |
| Toluene              | Aspiration hazard  |
| Cumene               | Aspiration hazard  |
| 4-Methylpentan-2-one | Some positive data exist, but the data are not sufficient for classification |

### Exposure Levels

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

### Interactive Effects

Not determined.

## SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

#### Acute aquatic hazard:

GHS Acute 1: Very toxic to aquatic life.

#### Chronic aquatic hazard:

GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

| Material     | CAS Number | Organism         | Type         | Exposure | Test endpoint | Test result |
|--------------|------------|------------------|--------------|----------|---------------|-------------|
| Cyclohexane  | 110-82-7   | Bacteria         | Experimental | 24 hours | IC50          | 97 mg/l     |
| Cyclohexane  | 110-82-7   | Fathead minnow   | Experimental | 96 hours | LC50          | 4.53 mg/l   |
| Cyclohexane  | 110-82-7   | Water flea       | Experimental | 48 hours | EC50          | 0.9 mg/l    |
| Xylene       | 1330-20-7  | Activated sludge | Estimated    | 3 hours  | NOEC          | 157 mg/l    |
| Xylene       | 1330-20-7  | Green Algae      | Estimated    | 72 hours | EC50          | 4.36 mg/l   |
| Xylene       | 1330-20-7  | Rainbow trout    | Estimated    | 96 hours | LC50          | 2.6 mg/l    |
| Xylene       | 1330-20-7  | Water flea       | Estimated    | 48 hours | EC50          | 3.82 mg/l   |
| Xylene       | 1330-20-7  | Green Algae      | Estimated    | 72 hours | NOEC          | 0.44 mg/l   |
| Xylene       | 1330-20-7  | Rainbow trout    | Estimated    | 56 days  | NOEC          | >1.3 mg/l   |
| Xylene       | 1330-20-7  | Water flea       | Estimated    | 7 days   | NOEC          | 0.96 mg/l   |
| Ethylbenzene | 100-41-4   | Green Algae      | Estimated    | 73 hours | EC50          | 4.36 mg/l   |
| Ethylbenzene | 100-41-4   | Rainbow trout    | Estimated    | 96 hours | LC50          | 2.6 mg/l    |
| Ethylbenzene | 100-41-4   | Water flea       | Estimated    | 48 hours | EC50          | 3.82 mg/l   |
| Ethylbenzene | 100-41-4   | Activated sludge | Experimental | 49 hours | EC50          | 130 mg/l    |
| Ethylbenzene | 100-41-4   | Green Algae      | Estimated    | 73 hours | NOEC          | 0.44 mg/l   |
| Ethylbenzene | 100-41-4   | Rainbow trout    | Estimated    | 56 days  | NOEC          | >1.3 mg/l   |
| Ethylbenzene | 100-41-4   | Water flea       | Estimated    | 7 days   | NOEC          | 0.96 mg/l   |
| o-Xylene     | 108-38-3   | Activated        | Experimental | 24 hours | EC50          | 115 mg/l    |

|                        |              |                  |   |          |       |             |
|------------------------|--------------|------------------|---|----------|-------|-------------|
|                        |              | sludge           |   |          |       |             |
| o-Xylene               | 108-38-3     | Rainbow trout    | Experimental  | 96 hours | LC50  | 8.4 mg/l    |
| o-Xylene               | 108-38-3     | Water flea       | Experimental  | 48 hours | EC50  | 2.4 mg/l    |
| o-Xylene               | 108-38-3     | Rainbow trout    | Estimated   | 56 days  | NOEC  | 1.3 mg/l    |
| o-Xylene               | 108-38-3     | Green Algae      | Experimental  | 72 hours | NOEC  | 5.3 mg/l    |
| o-Xylene               | 108-38-3     | Water flea       | Experimental  | 21 days  | NOEC  | 0.41 mg/l   |
| Ethanol                | 64-17-5      | Fathead minnow   | Experimental  | 96 hours | LC50  | 14,200 mg/l |
| Ethanol                | 64-17-5      | Fish other       | Experimental  | 96 hours | LC50  | 11,000 mg/l |
| Ethanol                | 64-17-5      | Green algae      | Experimental  | 72 hours | EC50  | 275 mg/l    |
| Ethanol                | 64-17-5      | Water flea       | Experimental  | 48 hours | LC50  | 5,012 mg/l  |
| Ethanol                | 64-17-5      | Green algae      | Experimental  | 72 hours | ErC10 | 11.5 mg/l   |
| Ethanol                | 64-17-5      | Water flea       | Experimental  | 10 days  | NOEC  | 9.6 mg/l    |
| p-Xylene               | 106-42-3     | Activated sludge | Experimental  |          | EC50  | >196 mg/l   |
| p-Xylene               | 106-42-3     | Green Algae      | Experimental  | 73 hours | EC50  | 4.36 mg/l   |
| p-Xylene               | 106-42-3     | Rainbow trout    | Experimental  | 96 hours | LC50  | 2.6 mg/l    |
| p-Xylene               | 106-42-3     | Water flea       | Experimental  | 24 hours | EC50  | 3.6 mg/l    |
| p-Xylene               | 106-42-3     | Green Algae      | Experimental  | 73 hours | EC10  | 1.9 mg/l    |
| p-Xylene               | 106-42-3     | Water flea       | Experimental  | 21 days  | EC10  | 1.91 mg/l   |
| p-Xylene               | 106-42-3     | Zebra Fish       | Experimental  | 35 days  | NOEC  | 0.714 mg/l  |
| Acrylate Polymer       | Trade Secret |                  | Data not available or insufficient for classification |          |       | N/A         |
| ETHYL ACETATE          | 141-78-6     | Bacteria         | Experimental  | 18 hours | EC10  | 2,900 mg/l  |
| ETHYL ACETATE          | 141-78-6     | Crustacea        | Experimental  | 48 hours | EC50  | 165 mg/l    |
| ETHYL ACETATE          | 141-78-6     | Fish             | Experimental  | 96 hours | LC50  | 212.5 mg/l  |
| ETHYL ACETATE          | 141-78-6     | Green Algae      | Experimental  | 72 hours | NOEC  | 100 mg/l    |
| ETHYL ACETATE          | 141-78-6     | Water flea       | Experimental  | 21 days  | NOEC  | 2.4 mg/l    |
| o-Xylene               | 95-47-6      | Activated sludge | Estimated   | 3 hours  | NOEC  | 157 mg/l    |
| o-Xylene               | 95-47-6      | Green Algae      | Experimental  | 73 hours | EC50  | 4.36 mg/l   |
| o-Xylene               | 95-47-6      | Rainbow trout    | Experimental  | 96 hours | LC50  | 2.6 mg/l    |
| o-Xylene               | 95-47-6      | Water flea       | Experimental  | 24 hours | IC50  | 1 mg/l      |
| o-Xylene               | 95-47-6      | Green Algae      | Experimental  | 73 hours | NOEC  | 0.44 mg/l   |
| o-Xylene               | 95-47-6      | Rainbow trout    | Experimental  | 56 days  | NOEC  | >1.3 mg/l   |
| o-Xylene               | 95-47-6      | Water flea       | Experimental  | 7 days   | NOEC  | 1.17 mg/l   |
| Chlorinated Polyolefin | 68609-36-9   |                  | Data not available or insufficient for classification |          |       | N/A         |
| Toluene                | 108-88-3     | Coho Salmon      | Experimental  | 96 hours | LC50  | 5.5 mg/l    |
| Toluene                | 108-88-3     | Grass Shrimp     | Experimental  | 96 hours | LC50  | 9.5 mg/l    |
| Toluene                | 108-88-3     | Green Algae      | Experimental  | 72 hours | EC50  | 12.5 mg/l   |
| Toluene                | 108-88-3     | Leopard frog     | Experimental  | 9 days   | LC50  | 0.39 mg/l   |
| Toluene                | 108-88-3     | Pink Salmon      | Experimental  | 96 hours | LC50  | 6.41 mg/l   |
| Toluene                | 108-88-3     | Water flea       | Experimental  | 48 hours | EC50  | 3.78 mg/l   |

|                      |            |                               |              |            |      |                              |
|----------------------|------------|-------------------------------|--------------|------------|------|------------------------------|
| Toluene              | 108-88-3   | Coho Salmon                   | Experimental | 40 days    | NOEC | 1.39 mg/l                    |
| Toluene              | 108-88-3   | Diatom                        | Experimental | 72 hours   | NOEC | 10 mg/l                      |
| Toluene              | 108-88-3   | Water flea                    | Experimental | 7 days     | NOEC | 0.74 mg/l                    |
| Toluene              | 108-88-3   | Activated sludge              | Experimental | 12 hours   | IC50 | 292 mg/l                     |
| Toluene              | 108-88-3   | Bacteria                      | Experimental | 16 hours   | NOEC | 29 mg/l                      |
| Toluene              | 108-88-3   | Bacteria                      | Experimental | 24 hours   | EC50 | 84 mg/l                      |
| Toluene              | 108-88-3   | Redworm                       | Experimental | 28 days    | LC50 | >150 mg per kg of bodyweight |
| Toluene              | 108-88-3   | Soil microbes                 | Experimental | 28 days    | NOEC | <26 mg/kg (Dry Weight)       |
| Acetone              | 67-64-1    | Algae other                   | Experimental | 96 hours   | EC50 | 11,493 mg/l                  |
| Acetone              | 67-64-1    | Crustacea other               | Experimental | 24 hours   | LC50 | 2,100 mg/l                   |
| Acetone              | 67-64-1    | Rainbow trout                 | Experimental | 96 hours   | LC50 | 5,540 mg/l                   |
| Acetone              | 67-64-1    | Water flea                    | Experimental | 21 days    | NOEC | 1,000 mg/l                   |
| Acetone              | 67-64-1    | Bacteria                      | Experimental | 16 hours   | NOEC | 1,700 mg/l                   |
| Acetone              | 67-64-1    | Redworm                       | Experimental | 48 hours   | LC50 | >100                         |
| Isopropyl Alcohol    | 67-63-0    | Bacteria                      | Experimental | 16 hours   | LOEC | 1,050 mg/l                   |
| Isopropyl Alcohol    | 67-63-0    | Crustacea                     | Experimental | 24 hours   | LC50 | >10,000 mg/l                 |
| Isopropyl Alcohol    | 67-63-0    | Green Algae                   | Experimental | 72 hours   | EC50 | >1,000 mg/l                  |
| Isopropyl Alcohol    | 67-63-0    | Medaka                        | Experimental | 96 hours   | LC50 | >100 mg/l                    |
| Isopropyl Alcohol    | 67-63-0    | Water flea                    | Experimental | 48 hours   | EC50 | >1,000 mg/l                  |
| Isopropyl Alcohol    | 67-63-0    | Green algae                   | Experimental | 72 hours   | NOEC | 1,000 mg/l                   |
| Isopropyl Alcohol    | 67-63-0    | Water flea                    | Experimental | 21 days    | NOEC | 100 mg/l                     |
| Epoxy Resin          | 25068-38-6 | Activated sludge              | Estimated    | 3 hours    | IC50 | >100 mg/l                    |
| Epoxy Resin          | 25068-38-6 | Green Algae                   | Estimated    | 72 hours   | EC50 | >11 mg/l                     |
| Epoxy Resin          | 25068-38-6 | Rainbow trout                 | Estimated    | 96 hours   | LC50 | 2 mg/l                       |
| Epoxy Resin          | 25068-38-6 | Water flea                    | Estimated    | 48 hours   | EC50 | 1.8 mg/l                     |
| Epoxy Resin          | 25068-38-6 | Green Algae                   | Estimated    | 72 hours   | NOEC | 4.2 mg/l                     |
| Epoxy Resin          | 25068-38-6 | Water flea                    | Estimated    | 21 days    | NOEC | 0.3 mg/l                     |
| Methanol             | 67-56-1    | Activated sludge              | Experimental | 3 hours    | IC50 | >1,000 mg/l                  |
| Methanol             | 67-56-1    | Algae or other aquatic plants | Experimental | 96 hours   | EC50 | 16.9 mg/l                    |
| Methanol             | 67-56-1    | Bluegill                      | Experimental | 96 hours   | LC50 | 15,400 mg/l                  |
| Methanol             | 67-56-1    | Green Algae                   | Experimental | 96 hours   | EC50 | 22,000 mg/l                  |
| Methanol             | 67-56-1    | Water flea                    | Experimental | 24 hours   | EC50 | 20,803 mg/l                  |
| Methanol             | 67-56-1    | Algae or other aquatic plants | Experimental | 96 hours   | NOEC | 9.96 mg/l                    |
| Methanol             | 67-56-1    | Water flea                    | Experimental | 21 days    | NOEC | 122 mg/l                     |
| 4-Methylpentan-2-one | 108-10-1   | Activated sludge              | Experimental | 30 minutes | EC50 | >1,000 mg/l                  |
| 4-Methylpentan-      | 108-10-1   | Fathead minnow                | Experimental | 96 hours   | LC50 | 505 mg/l                     |

|                      |          |                  |              |          |      |             |
|----------------------|----------|------------------|--------------|----------|------|-------------|
| 2-one                |          |                  |              |          |      |             |
| 4-Methylpentan-2-one | 108-10-1 | Green Algae      | Experimental | 96 hours | EC50 | 400 mg/l    |
| 4-Methylpentan-2-one | 108-10-1 | Water flea       | Experimental | 48 hours | EC50 | 170 mg/l    |
| 4-Methylpentan-2-one | 108-10-1 | Fathead minnow   | Experimental | 32 days  | NOEC | 57 mg/l     |
| 4-Methylpentan-2-one | 108-10-1 | Water flea       | Experimental | 21 days  | NOEC | 78 mg/l     |
| Cumene               | 98-82-8  | Activated sludge | Experimental | 3 hours  | EC10 | >2,000 mg/l |
| Cumene               | 98-82-8  | Green algae      | Experimental | 72 hours | EC50 | 2.6 mg/l    |
| Cumene               | 98-82-8  | Mysid Shrimp     | Experimental | 96 hours | EC50 | 1.2 mg/l    |
| Cumene               | 98-82-8  | Rainbow trout    | Experimental | 96 hours | LC50 | 2.7 mg/l    |
| Cumene               | 98-82-8  | Water flea       | Experimental | 48 hours | EC50 | 2.14 mg/l   |
| Cumene               | 98-82-8  | Green algae      | Experimental | 72 hours | NOEC | 0.22 mg/l   |
| Cumene               | 98-82-8  | Water flea       | Experimental | 21 days  | NOEC | 0.35 mg/l   |
| Chlorobenzene        | 108-90-7 | Bacteria         | Experimental | 24 hours | IC50 | 0.71 mg/l   |
| Chlorobenzene        | 108-90-7 | Fish other       | Experimental | 84 hours | LC50 | 0.34 mg/l   |
| Chlorobenzene        | 108-90-7 | Green Algae      | Experimental | 96 hours | EC50 | 12.5 mg/l   |
| Chlorobenzene        | 108-90-7 | Water flea       | Experimental | 48 hours | EC50 | 0.59 mg/l   |
| Chlorobenzene        | 108-90-7 | Water flea       | Experimental | 21 days  | NOEC | 0.72 mg/l   |
| Chlorobenzene        | 108-90-7 | Zebra Fish       | Experimental | 28 days  | NOEC | 8.5 mg/l    |
| Maleic anhydride     | 108-31-6 | Green algae      | Estimated    | 72 hours | EC50 | 74.4 mg/l   |
| Maleic anhydride     | 108-31-6 | Water flea       | Estimated    | 48 hours | EC50 | 93.8 mg/l   |
| Maleic anhydride     | 108-31-6 | Bacteria         | Experimental | 18 hours | EC10 | 44.6 mg/l   |
| Maleic anhydride     | 108-31-6 | Rainbow trout    | Experimental | 96 hours | LC50 | 75 mg/l     |
| Maleic anhydride     | 108-31-6 | Green algae      | Estimated    | 72 hours | EC10 | 11.8 mg/l   |
| Maleic anhydride     | 108-31-6 | Water flea       | Experimental | 21 days  | NOEC | 10 mg/l     |

## 12.2. Persistence and degradability

| Material     | CAS Number | Test type                   | Duration | Study Type                    | Test result       | Protocol                            |
|--------------|------------|-----------------------------|----------|-------------------------------|-------------------|-------------------------------------|
| Cyclohexane  | 110-82-7   | Experimental Photolysis     |          | Photolytic half-life (in air) | 4.14 days (t 1/2) | Non-standard method                 |
| Cyclohexane  | 110-82-7   | Experimental Biodegradation | 28 days  | BOD                           | 77 % BOD/ThBOD    | OECD 301F - Manometric respirometry |
| Xylene       | 1330-20-7  | Experimental Photolysis     |          | Photolytic half-life (in air) | 1.4 days (t 1/2)  | Non-standard method                 |
| Xylene       | 1330-20-7  | Experimental Biodegradation | 28 days  | BOD                           | 90-98 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| Ethylbenzene | 100-41-4   | Experimental                | 28 days  | BOD                           | 90-98 %           | OECD 301F -                         |

|                        |              |                                 |         |                               |                   |                                     |
|------------------------|--------------|---------------------------------|---------|-------------------------------|-------------------|-------------------------------------|
|                        |              | Biodegradation                  |         |                               | BOD/ThBOD         | Manometric respirometry             |
| o-Xylene               | 108-38-3     | Experimental Biodegradation     | 28 days | BOD                           | 100 % BOD/ThBOD   | OECD 301C - MITI test (I)           |
| Ethanol                | 64-17-5      | Experimental Biodegradation     | 14 days | BOD                           | 89 % BOD/ThBOD    | OECD 301C - MITI test (I)           |
| p-Xylene               | 106-42-3     | Experimental Biodegradation     | 28 days | BOD                           | 90 % BOD/ThBOD    | OECD 301F - Manometric respirometry |
| Acrylate Polymer       | Trade Secret | Data not available-insufficient |         |                               | N/A               |                                     |
| ETHYL ACETATE          | 141-78-6     | Experimental Photolysis         |         | Photolytic half-life (in air) | 20.0 days (t 1/2) | Non-standard method                 |
| ETHYL ACETATE          | 141-78-6     | Experimental Biodegradation     | 14 days | BOD                           | 94 % BOD/ThBOD    | OECD 301C - MITI test (I)           |
| o-Xylene               | 95-47-6      | Estimated Biodegradation        | 28 days | BOD                           | 98 % BOD/ThBOD    | OECD 301F - Manometric respirometry |
| Chlorinated Polyolefin | 68609-36-9   | Data not available-insufficient |         |                               | n/a               |                                     |
| Toluene                | 108-88-3     | Experimental Photolysis         |         | Photolytic half-life (in air) | 5.2 days (t 1/2)  |                                     |
| Toluene                | 108-88-3     | Experimental Biodegradation     | 20 days | BOD                           | 80 % BOD/ThBOD    | APHA Std Meth Water/Wastewater      |
| Acetone                | 67-64-1      | Experimental Photolysis         |         | Photolytic half-life (in air) | 147 days (t 1/2)  |                                     |
| Acetone                | 67-64-1      | Experimental Biodegradation     | 28 days | BOD                           | 78 % BOD/ThBOD    | OECD 301D - Closed bottle test      |
| Isopropyl Alcohol      | 67-63-0      | Experimental Biodegradation     | 14 days | BOD                           | 86 % BOD/ThBOD    | OECD 301C - MITI test (I)           |
| Epoxy Resin            | 25068-38-6   | Estimated Hydrolysis            |         | Hydrolytic half-life          | 117 hours (t 1/2) | Non-standard method                 |
| Epoxy Resin            | 25068-38-6   | Estimated Biodegradation        | 28 days | BOD                           | 5 %BOD/COD        | OECD 301F - Manometric respirometry |
| Methanol               | 67-56-1      | Experimental Biodegradation     | 14 days | BOD                           | 92 % BOD/ThBOD    | OECD 301C - MITI test (I)           |
| 4-Methylpentan-2-one   | 108-10-1     | Experimental Photolysis         |         | Photolytic half-life (in air) | 2.28 days (t 1/2) | Non-standard method                 |
| 4-Methylpentan-2-one   | 108-10-1     | Experimental Biodegradation     | 14 days | BOD                           | 84 % weight       | OECD 301C - MITI test (I)           |
| Cumene                 | 98-82-8      | Experimental Photolysis         |         | Photolytic half-life (in air) | 4.5 days (t 1/2)  | Non-standard method                 |
| Cumene                 | 98-82-8      | Experimental Biodegradation     | 14 days | BOD                           | 33 % BOD/ThBOD    | OECD 301C - MITI test (I)           |
| Chlorobenzene          | 108-90-7     | Experimental Photolysis         |         | Photolytic half-life (in air) | 42 days (t 1/2)   | Non-standard method                 |
| Chlorobenzene          | 108-90-7     | Experimental Biodegradation     | 20 days | BOD                           | 55 % weight       | OECD 301D - Closed bottle test      |
| Maleic                 | 108-31-6     | Experimental                    |         | Hydrolytic                    | 22 seconds (t     | Non-standard method                 |

|                  |          |                          |         |               |              |                                   |
|------------------|----------|--------------------------|---------|---------------|--------------|-----------------------------------|
| anhydride        |          | Hydrolysis               |         | half-life     | 1/2)         |                                   |
| Maleic anhydride | 108-31-6 | Estimated Biodegradation | 25 days | CO2 evolution | >90 % weight | OECD 301B - Modified sturm or CO2 |

### 12.3 : Bioaccumulative potential

| Material               | CAS Number   | Test type   | Duration | Study Type             | Test result | Protocol   |
|------------------------|--------------|---|----------|------------------------|-------------|--|
| Cyclohexane            | 110-82-7     | Experimental BCF-Carp                                 | 56 days  | Bioaccumulation factor | 129         | OECD 305E - Bioaccumulation flow-through fish test |
| Xylene                 | 1330-20-7    | Experimental BCF - Rainbow Trout                      | 56 days  | Bioaccumulation factor | 25.9        | Non-standard method                                |
| Ethylbenzene           | 100-41-4     | Experimental BCF - Rainbow Trout                      | 56 days  | Bioaccumulation factor | 25.9        | Non-standard method                                |
| o-Xylene               | 108-38-3     | Estimated BCF - Rainbow Trout                         | 56 days  | Bioaccumulation factor | 14          | Non-standard method                                |
| Ethanol                | 64-17-5      | Experimental Bioconcentration                         |          | Log Kow                | -0.35       | Non-standard method                                |
| p-Xylene               | 106-42-3     | Estimated BCF - Rainbow Trout                         | 56 days  | Bioaccumulation factor | 25.9        | Non-standard method                                |
| Acrylate Polymer       | Trade Secret | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A  |
| ETHYL ACETATE          | 141-78-6     | Experimental Bioconcentration                         |          | Log Kow                | 0.68        | Non-standard method                                |
| o-Xylene               | 95-47-6      | Experimental Bioconcentration                         |          | Log Kow                | 3.12        | Non-standard method                                |
| Chlorinated Polyolefin | 68609-36-9   | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A  |
| Toluene                | 108-88-3     | Experimental BCF - Other                              | 72 hours | Bioaccumulation factor | 90          |  |
| Toluene                | 108-88-3     | Experimental Bioconcentration                         |          | Log Kow                | 2.73        |  |
| Acetone                | 67-64-1      | Experimental BCF - Other                              |          | Bioaccumulation factor | 0.65        |  |
| Acetone                | 67-64-1      | Experimental Bioconcentration                         |          | Log Kow                | -0.24       |  |
| Isopropyl Alcohol      | 67-63-0      | Experimental Bioconcentration                         |          | Log Kow                | 0.05        | Non-standard method                                |
| Epoxy Resin            | 25068-38-6   | Estimated Bioconcentration                            |          | Log Kow                | 3.242       | Non-standard method                                |



|                      |          |                               |         |                        |       |  |
|----------------------|----------|-------------------------------|---------|------------------------|-------|--|
|                      |          | on                            |         |                        |       |  |
| Methanol             | 67-56-1  | Experimental Bioconcentration |         | Log Kow                | -0.77 | Non-standard method                                |
| 4-Methylpentan-2-one | 108-10-1 | Experimental Bioconcentration |         | Log Kow                | 1.31  | Non-standard method                                |
| Cumene               | 98-82-8  | Estimated Bioconcentration    |         | Bioaccumulation factor | 140   | Non-standard method                                |
| Chlorobenzene        | 108-90-7 | Experimental BCF-Carp         | 56 days | Bioaccumulation factor | 39.6  | OECD 305E - Bioaccumulation flow-through fish test |
| Maleic anhydride     | 108-31-6 | Experimental Bioconcentration |         | Log Kow                | -2.61 | Non-standard method                                |

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

| Material | CAS Number | Ozone Depletion Potential | Global Warming Potential |
|----------|------------|---------------------------|--------------------------|
| mibk     | 108-10-1   | 0                         |                          |

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. As a disposal alternative, utilize an acceptable permitted waste disposal facility.

### SECTION 14: Transport Information

#### Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: UN1993

Proper shipping name: FLAMMABLE LIQUID, N.O.S. , ( CYCLOHEXANE, XYLENE )

Class/Division: 3

Sub Risk: Not applicable.

Packing Group: II

Special Instructions: Limited quantity may apply

Hazchem Code: •3YE

IERG: 14

#### International Air Transport Association (IATA) - Air Transport

UN No.: UN1993

Proper shipping name: FLAMMABLE LIQUID, N.O.S. , ( CYCLOHEXANE, XYLENE )

Class/Division: 3

Sub Risk: Not applicable.

Packing Group: II

#### International Maritime Dangerous Goods Code (IMDG)- Marine Transport

**UN No.:** UN1993

**Proper shipping name:** FLAMMABLE LIQUID, N.O.S. , (CYCLOHEXANE, XYLENE )

**Class/Division:** 3

**Sub Risk:** Not applicable.

**Packing Group:** II

**Marine Pollutant:** Not applicable.

**Special Instructions:** Limited quantity may apply

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Australian Inventory Status:**

An ingredient(s) in this product is being introduced under the no unreasonable risk non-cosmetic (<100 Kg) exemption provisions specified in Section 21(4) of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

**Poison Schedule:** This product is intended for Industrial or Professional Use only and therefore is not packaged and labelled in accordance with the requirements of the Standard for the Uniform Scheduling of Medicines and Poisons.

## SECTION 16: Other information

**Revision information:**

Complete document review.

**DISCLAIMER:** The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

**3M Australia SDSs are available at [www.3m.com.au](http://www.3m.com.au)**