



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

**SIMSON ISR 70-03 GREY**  
Revision Number 1

**Revision date** 05-Apr-2023  
**Supersedes Date:** 05-Apr-2023

## Section 1: Identification

### Product identifier

**Product Name** SIMSON ISR 70-03 GREY

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended use** Adhesives

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Supplier

Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412

#### Manufacturer

Bostik SA  
420 rue d'Estienne d'Orves  
92700 Colombes  
FRANCE  
Tel: +33 (0)1 49 00 90 00

**E-mail address** SDS.AP@Bostik.com

### Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622  
International +64 4 917 9888  
Poison Centre : 0800 764 766

## Section 2: Hazard identification

### GHS Classification

**Carcinogenicity** Category 2 (HSNO - 6.7B)

### Label elements



### **Signal word**

Warning

### **Hazard statements**

H351 - Suspected of causing cancer

### **Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wear protective gloves/clothing and eye/face protection

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	30 - 60
Trimethoxyvinylsilane	2768-02-7	<10
1-Propanamine, 3-(trimethoxysilyl)-	13822-56-5	<10
Carbon black	1333-86-4	<10

Non-hazardous ingredients	Proprietary	Balance
---------------------------	-------------	---------

## Section 4: First-aid measures

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.

### Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 5: Fire-fighting measures

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Full water jet.

### Specific hazards arising from the chemical

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon oxides. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Silicon oxides. Silicon dioxide.

## Special protective actions for fire-fighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: Handling and storage**

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feeding stuffs.

**Recommended storage temperature** Keep at temperatures between 50 and 95 °F / 10 and 35 °C. Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

**Incompatible materials** None known based on information supplied.

## **Section 8: Exposure controls/personal protection**

### Control parameters

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

## Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Carbonic acid, calcium salt (1:1) 471-34-1	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> inhalable particulate matter	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>

## Biological occupational exposure limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

## Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

**Physical state** Solid  
**Appearance** Paste  
**Color** Gray  
**Odor** Slight.  
**Odor threshold** Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	None known
Flash point	48 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability	.	
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	6000 - 14000 Pa.s	@ 20 °C
Explosive properties	No information available.	
Oxidizing properties	No information available.	

## Other information

Softening Point	No information available
Molecular weight	No information available
VOC content	No information available
Liquid Density	1.48
Bulk density	No information available
Particle characteristics	

## Section 10: Stability and reactivity

### Reactivity

Reactivity Product cures with moisture.

### Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible materials

Incompatible materials None known based on information supplied.

### Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 11: Toxicological information

### Acute toxicity

### Information on likely routes of exposure

#### Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

**Skin contact** Based on available data, the classification criteria are not met. May cause sensitization in susceptible persons.

**Ingestion** Based on available data, the classification criteria are not met.

**Symptoms** No information available.

## Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg  
ATEmix (dermal) >5000 mg/kg  
ATEmix (inhalation-gas) >20000 ppm  
ATEmix (inhalation-vapor) 377.60 mg/l  
ATEmix (inhalation-dust/mist) >5 mg/l

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1)	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
1-Propanamine, 3-(trimethoxysilyl)-	LD50 (Rattus) > 2000 mg/ kg (2,97 ml/kg) (OECD 401)	LD50 (Oryctolagus cuniculus) > 2000 mg/kg 11,3 ml/kg) OECD 402	-
Carbon black	LD50 > 8000 mg/kg (Rattus) OECD 401	> 3 g/kg (Oryctolagus cuniculus)	> 4.6 mg/m <sup>3</sup> ( Rat ) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

**Serious eye damage/eye irritation** No classification is proposed, based on conclusive negative data. By analogy to another tested similar product: No irritation after contact to the eyes. (H319 is void).

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 437 Bovine Corneal Opacity and Permeability (BCOP) test	Bovine	Corneal	Product 100 %	10 minutes	Product score <3 Non-irritant

### Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		24 hours	Non-irritant

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		72 hours	irritant

# SAFETY DATA SHEET

**SIMSON ISR 70-03 GREY**  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

**Respiratory or skin sensitization** OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization	Guinea pig	Dermal	No sensitization responses were observed

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization, Buehler test	Guinea pig	Dermal	sensitizing

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization	Guinea pig	Dermal	Did not cause sensitization on laboratory animals

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
Carbon black - 1333-86-4	Suspected carcinogen	Group 2B

## Legend

**IARC (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Not Classifiable

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Species	Results
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	Not Classifiable

**STOT - single exposure** Based on available data, the classification criteria are not met.

**Respiratory irritation** No information available.

**Narcotic effects** No information available.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413: Subchronic Inhalation Toxicity: 90-day Study	Rat	Inhalation vapor		90 days	0.058 NOAEL

**Aspiration hazard** Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### Ecotoxicity

#### Ecotoxicity

#### Aquatic ecotoxicity

**Unknown aquatic toxicity** 0.04493 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbonic acid, calcium salt (1:1)	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	EC50 48H Daphnia >1000 mg/l
Trimethoxyvinylsilane	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	EC50(48hr) 168.7mg/l (Daphnia magna)
1-Propanamine, 3-(trimethoxysilyl)-	EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	LC50 (96h) > >934 mg/L (Danio rerio) OECD 203	EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202
Carbon black	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203	EC50: >5600mg/L (24h, Daphnia magna)

**Terrestrial ecotoxicity** There is no data for this product.

**Persistence and degradability** No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	BOD	51 % Not readily biodegradable

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Exposure time	Value	Results
OECD Test No. 301A: Ready Biodegradability: DOC Die-Away Test (TG 301 A)	28 days		67 % Not readily biodegradable

### Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

### Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1

### Mobility in soil



# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

## Other adverse effects

No information available.

## Section 13: Disposal considerations

### Disposal methods

#### **Waste from residues/unused products**

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the product itself.

## Section 14: Transport information

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

**ADR** Not regulated

## Section 15: Regulatory information

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### National regulations

##### **New Zealand**

##### **ERMA Group**

HSR002670

Chemical name	New Zealand HSNO Chemical Classification
Carbonic acid, calcium salt (1:1) - 471-34-1	Eye Irrit. 2 (H319)
Trimethoxyvinylsilane - 2768-02-7	Flam. Liq. 2 (H225) Acute Tox. 4 Inhalation (H332)
1-Propanamine, 3-(trimethoxysilyl)- - 13822-56-5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)
Carbon black - 1333-86-4	Eye Irrit. 2 (H319) Eye Irrit. 2 (H319) >10% in a non hazardous diluent Carc. 2 (H351) Carc. 2 (H351) >10% in a non hazardous diluent

#### **National regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

# SAFETY DATA SHEET

SIMSON ISR 70-03 GREY  
Revision Number 1

Revision date 05-Apr-2023  
Supersedes Date: 05-Apr-2023

## Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information  
Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information  
Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

## EPA New Zealand HSNO approval code or group standard

## International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Europe

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: Other information

Revision date 05-Apr-2023

### Revision Note

SDS sections updated. 1. 2.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

World Health Organization

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**